***Lone Star Technological Innovations, LLC v. ASUSTeK Computer Inc.*, Case No. 6:19-cv-00059-RWS**
Joint Claim Construction Chart
EXHIBIT B: DISPUTED TERMS

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
1	**"individual color(s)"** 1. A method for independently controlling hue or saturation of **individual colors** in a real time digital video image, comprising the steps of: (a) receiving and characterizing the real time digital video input image featuring input image pixels; (b) selecting to independently change the hue or the saturation of an **individual color** in the real time digital video input image, by selecting an independent color hue control delta value or an independent color saturation control delta value, respectively, wherein said independent color hue control delta value represents an extent of change in the hue of said selected **individual color**	A linear combination of colors or color components, such as red, green, blue, yellow, cyan, and magenta.	A linear combination of colors or color components.	

[1] The asserted claims in this action are claims 1-6, 9-11, 13-15, 17, 21, and 30. Throughout this chart, the listing in this column includes all claims – both asserted and not asserted – that include the disputed claim term, in case reference to such claims may assist with construction.

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected **individual color**; (c) identifying a plurality of said input image pixels having said selected **individual color** in the real time digital video input image with the hue or the saturation selected to be independently changed, by performing arithmetic and logical operations using input image pixel values of each said input image pixel of the real time digital video input image; (d) determining corresponding output image pixel values for each of said plurality of said input image pixels identified as having said selected **individual color** in the real time digital video input image With the hue or the saturation selected to be independently changed, by separately evaluating independent color hue control functions or independent color saturation control functions, respectively,			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	using said input image pixel values of said plurality of said input image pixels, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for forming a corresponding plurality of output image pixels having said selected **individual color** With the hue or the saturation selected to be independently changed; and (e) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected **individual color** with the hue or the saturation selected to be independently changed in the real time digital video input image, whereby the hue or the saturation of said selected **individual color** in the real time digital video input image has been changed without affecting the hue or the saturation of any other **individual color** in the real time digital video input image.			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	2. The method of claim 1, whereby the real time digital video input image is of a format selected from the group consisting of RGB format, YCrCb format, and, YUV format, whereby the **individual colors** of one said format can be characterized by the **individual colors** of a second said format by using appropriate linear transformations between said formats. 10. The method of claim 1, whereby in step (b), said extent of change in the hue of said selected **individual color** is selected from the group consisting of a clockwise change and a counterclockwise change, of an angle of said selected **individual color** towards other **individual colors** characterized in a color space featuring a color based three dimensional coordinate system.			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	11. The method of claim 1, whereby in step (b), said extent of change in the saturation of said selected **individual color** is selected from the group consisting of an increase and a decrease, of intensity of said **individual color** characterized in a color space featuring a color based three-dimensional coordinate system. 13. The method of claim 1, whereby step (d) is performed following said identifying each said input image pixel, one at a time, of said plurality of said input image pixels, or, is performed following said identifying entire said plurality of said input image pixels, as having said **individual color** in the digital video input image whose hue or saturation was selected to be independently changed.			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	14. The method of claim 1, whereby in step (d), for independently controlling the hue of said selected **individual color** in the real time digital video image, said independent color hue control function is a function of said input image pixel values of said plurality of said input image pixels and of said corresponding selected independent color hue control delta value. 15. The method of claim 1, whereby in step (d), for independently controlling the saturation of said selected **individual color** in the real time digital video image, said independent color saturation control function is a function of said input image pixel values of said plurality of said input image pixels and of said corresponding selected independent color saturation control delta value. 16. The method of claim 1, whereby step (e) is performed following said determining said			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	output image pixel values for each said input image pixel, one at a time, of said plurality of said input image pixels, or, is performed following said determining said output image pixel values for entire said plurality of said input image pixels, identified as having said **individual color** in the real time digital video input image Whose hue or saturation Was selected to be independently changed. 17. A system for independently controlling hue or saturation of **individual colors** in a real time digital video image, comprising: (a) a real time digital video image display device displaying the real time digital video image featuring input image pixels; (b) a master control device in operative electronic communication with and controlling said real time digital video image display device; and (c) a viewer of said real time digital video image display device operating said master control			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	device for selecting to independently change the hue or the saturation of an **individual color** in the real time digital video input image, by selecting an independent color hue control delta value or an independent color saturation control delta value featured on said master control device, respectively, wherein said independent color hue control delta value represents an extent of change in the hue of said selected **individual color** and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected **individual color**, whereby said real time digital video image display device in said operative electronic communication with said master control device per forms steps including: (i) identifying a plurality of said input image pixels having said selected **individual color** in the real time digital video input image With the hue or the			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	saturation selected to be independently changed, by performing arithmetic and logical operations using input image pixel values of each said input image pixel of the real time digital video input image; (ii) determining corresponding output image pixel values for each of said plurality of said input image pixels identified as having said selected **individual color** in the real time digital video input image With the hue or the saturation selected to be independently changed, by separately evaluating independent color hue control functions or independent color saturation control functions, respectively, using said input image pixel values of said plurality of said input image pixels, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for forming a corresponding plurality of output image pixels having			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	said selected **individual color** With the hue or the saturation selected to be independently changed; and (iii) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected **individual color** With the hue or the saturation selected to be independently changed in the real time digital video input image, Whereby the hue or the saturation of said selected **individual color** in the real time digital video input image has been changed Without affecting the hue or the saturation of any other **individual color** in the real time digital video input image. 18. The system of claim 17, whereby the real time digital video input image is of a format selected from the group consisting of RGB format, YCrCb format, and, YUV format, Whereby the **individual colors** of one said format can be characterized by the **individual**			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	colors of a second said format by using appropriate linear transformations between said formats. 26. The system of claim 17, whereby said extent of change in the hue of said selected **individual color** is selected from the group consisting of a clockwise change and a counterclockwise change, of an angle of said selected **individual color** towards other **individual colors** characterized in a color space featuring a color based three-dimensional coordinate system. 27. The system of claim 17, whereby said extent of change in the saturation of said selected **individual color** is selected from the group consisting of an increase and a decrease, of intensity of said **individual color** characterized in a color space featuring a color based three-dimensional coordinate system.			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	29. The system of claim 17, whereby step (ii) is performed following said identifying each said input image pixel, one at a time, of said plurality of said input image pixels, or, is performed following said identifying entire said plurality of said input image pixels, as having said **individual color** in the digital video input image Whose hue or saturation Was selected to be independently changed. 30. The system of claim 17, whereby in step (ii), for independently controlling the hue of said selected **individual color** in the real time digital video image, said independent color hue control function is a function of said input image pixel values of said plurality of said input image pixels and of said corresponding selected independent color hue control delta value.			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	31. The system of claim 17, whereby in step (ii), for independently controlling the saturation of said selected **individual color** in the real time digital video image, said independent color saturation control function is a function of said input image pixel values of said plurality of said input image pixels and of said corresponding selected independent color saturation control delta value. 32. The system of claim 17, whereby step (iii) is per formed following said determining said output image pixel values for each said input image pixel, one at a time, of said plurality of said input image pixels, or, is performed following said determining said output image pixel values for entire said plurality of said input image pixels, identified as having said **individual color** in the real time digital video input image Whose hue or saturation Was selected to be independently changed.			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	'435 Patent, Claims 1, 2, 10, 11, 13-18, 26, 27, and 29-32			
2	**The combination or method steps and system elements in a single system claim**. 17. A **system** for independently controlling hue or saturation of individual colors in a real time digital video image, comprising: (a) a real time digital video image display device displaying the real time digital video image featuring input image pixels; (b) a master control device in operative electronic communication with and controlling said real time digital video image display device; and (c) a **viewer** of said real time digital video image display device **operating** said master control device for selecting to independently change the hue or the saturation of an individual color in the real time digital video input image, by **selecting** an	Not indefinite. Claim 17 contains permissible functional limitations that describe the system by reciting its capabilities. *MasterMine Software, Inc. v. Microsoft Corp.*, 874 F.3d 1307, 1313 (Fed. Cir. 2017).	Indefinite. A claim that "recites both a system and a method for using that system" is invalid as indefinite. *IPXL Holdings, L.L.C. v. Amazon.com, Inc.*, 430 F.3d 1377, 1384 (Fed.Cir.2005).	

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	independent color hue control delta value or an independent color saturation control delta value featured on said master control device, respectively, wherein said independent color hue control delta value represents an extent of change in the hue of said selected individual color and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected individual color, whereby said real time digital video image display device in said operative electronic communication with said master control device **performs steps including**: (i) **identifying** a plurality of said input image pixels having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by performing arithmetic and logical operations using input image pixel values of each said input image pixel of the real time			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	digital video input image; (ii) **determining** corresponding output image pixel values for each of said plurality of said input image pixels identified as having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by separately evaluating independent color hue control functions or independent color saturation control functions, respectively, using said input image pixel values of said plurality of said input image pixels, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for forming a corresponding plurality of output image pixels having said selected individual color With the hue or the saturation selected to be independently changed; and (iii) **displaying** a real time digital video output image including said			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	corresponding plurality of said output image pixels having said selected individual color With the hue or the saturation selected to be independently changed in the real time digital video input image, Whereby the hue or the saturation of said selected individual color in the real time digital video input image has been changed Without affecting the hue or the saturation of any other individual color in the real time digital video input image. '435 Patent, Claims 17			
3	**"Input image pixel(s)"** 1. A method for independently controlling hue or saturation of individual colors in a real time digital video image, comprising the steps of: (a) receiving and characterizing the real time digital video input image featuring **input image pixels**; (b) selecting to independently change the hue or the saturation of an individual color in the real	Plain and ordinary meaning.	Image data including an integer row, an integer column, and color component values for each of red, green, and blue.	

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	time digital video input image, by selecting an independent color hue control delta value or an independent color saturation control delta value, respectively, wherein said independent color hue control delta value represents an extent of change in the hue of said selected individual color and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected individual color; (c) identifying a plurality of said **input image pixels** having said selected individual color in the real time digital video input image with the hue or the saturation selected to be independently changed, by performing arithmetic and logical operations using **input image pixel** values of each said **input image pixel** of the real time digital video input image; (d) determining corresponding output image pixel values for each of said plurality of said **input image pixels** identified as			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by separately evaluating independent color hue control functions or independent color saturation control functions, respectively, using said **input image pixel** values of said plurality of said **input image pixels**, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for forming a corresponding plurality of output image pixels having said selected individual color With the hue or the saturation selected to be independently changed; and (e) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected individual color with the hue or the saturation selected to be independently changed in the			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	real time digital video input image, whereby the hue or the saturation of said selected individual color in the real time digital video input image has been changed without affecting the hue or the saturation of any other individual color in the real time digital video input image. 10. The method of claim 1, whereby in step (b), said extent of change in the hue of said selected **individual color** is selected from the group consisting of a clockwise change and a counterclockwise change, of an angle of said selected **individual color** towards other **individual colors** characterized in a color space featuring a color based three dimensional coordinate system. 13. The method of claim 1, whereby step (d) is performed following said identifying each said **input image pixel**, one at a time, of said plurality of said **input image pixels**, or, is			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	performed following said identifying entire said plurality of said **input image pixels**, as having said individual color in the digital video input image whose hue or saturation was selected to be independently changed. 14. The method of claim 1, whereby in step (d), for independently controlling the hue of said selected individual color in the real time digital video image, said independent color hue control function is a function of said **input image pixel** values of said plurality of said **input image pixels** and of said corresponding selected independent color hue control delta value. 15. The method of claim 1, whereby in step (d), for independently controlling the saturation of said selected individual color in the real time digital video image, said independent color saturation control function is a function of said **input image pixel** values of			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	said plurality of said **input image pixels** and of said corresponding selected independent color saturation control delta value. 16. The method of claim 1, whereby step (e) is performed following said determining said output image pixel values for each said **input image pixel**, one at a time, of said plurality of said **input image pixels**, or, is performed following said determining said output image pixel values for entire said plurality of said **input image pixels**, identified as having said individual color in the real time digital video input image Whose hue or saturation Was selected to be independently changed. 17. A system for independently controlling hue or saturation of individual colors in a real time digital video image, comprising: (a) a real time digital video image display device displaying the real time digital video image featuring **input image pixels**;			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	(b) a master control device in operative electronic communication with and controlling said real time digital video image display device; and (c) a viewer of said real time digital video image display device operating said master control device for selecting to independently change the hue or the saturation of an individual color in the real time digital video input image, by selecting an independent color hue control delta value or an independent color saturation control delta value featured on said master control device, respectively, wherein said independent color hue control delta value represents an extent of change in the hue of said selected individual color and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected individual color, whereby said real time digital video image display device in said operative electronic communication with			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	said master control device per forms steps including: (i) identifying a plurality of said **input image pixels** having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by performing arithmetic and logical operations using **input image pixel** values of each said **input image pixel** of the real time digital video input image; (ii) determining corresponding output image pixel values for each of said plurality of said **input image pixels** identified as having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by separately evaluating independent color hue control functions or independent color saturation control functions, respectively, using said **input image pixel** values of said plurality of said **input image pixels**, and using			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for forming a corresponding plurality of output image pixels having said selected individual color With the hue or the saturation selected to be independently changed; and (iii) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected individual color With the hue or the saturation selected to be independently changed in the real time digital video input image, Whereby the hue or the saturation of said selected individual color in the real time digital video input image has been changed Without affecting the hue or the saturation of any other individual color in the real time digital video input image.			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	29. The system of claim 17, whereby step (ii) is performed following said identifying each said **input image pixel**, one at a time, of said plurality of said **input image pixels**, or, is performed following said identifying entire said plurality of said **input image pixels**, as having said individual color in the digital video input image Whose hue or saturation Was selected to be independently changed. 30. The system of claim 17, whereby in step (ii), for independently controlling the hue of said selected individual color in the real time digital video image, said independent color hue control function is a function of said **input image pixel** values of said plurality of said **input image pixels** and of said corresponding selected independent color hue control delta value. 31. The system of claim 17, whereby in step (ii), for independently controlling the			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	saturation of said selected individual color in the real time digital video image, said independent color saturation control function is a function of said **input image pixel** values of said plurality of said **input image pixels** and of said corresponding selected independent color saturation control delta value. 32. The system of claim 17, whereby step (iii) is per formed following said determining said output image pixel values for each said **input image pixel**, one at a time, of said plurality of said **input image pixels**, or, is performed following said determining said output image pixel values for entire said plurality of said **input image pixels**, identified as having said individual color in the real time digital video input image Whose hue or saturation Was selected to be independently changed. '435 Patent, Claims 1, 13-17, and 29-32			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
4	**"Viewer"** 17. A system for independently controlling hue or saturation of individual colors in a real time digital video image, comprising: (a) a real time digital video image display device displaying the real time digital video image featuring input image pixels; (b) a master control device in operative electronic communication with and controlling said real time digital video image display device; and (c) a **viewer** of said real time digital video image display device operating said master control device for selecting to independently change the hue or the saturation of an individual color in the real time digital video input image, by selecting an independent color hue control delta value or an independent color saturation control delta value featured on said master control device, respectively, wherein said independent color hue control delta value represents	Graphic user interface (GUI) menu display, configured on a man-machine interaction (MMI) mechanism	Indefinite – illustrates that method steps are performed by a human.	

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	an extent of change in the hue of said selected individual color and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected individual color, whereby said real time digital video image display device in said operative electronic communication with said master control device per forms steps including: (i) identifying a plurality of said input image pixels having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by performing arithmetic and logical operations using input image pixel values of each said input image pixel of the real time digital video input image; (ii) determining corresponding output image pixel values for each of said plurality of said input image pixels identified as having said selected individual color in the real time digital video input			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	image With the hue or the saturation selected to be independently changed, by separately evaluating independent color hue control functions or independent color saturation control functions, respectively, using said input image pixel values of said plurality of said input image pixels, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for forming a corresponding plurality of output image pixels having said selected individual color With the hue or the saturation selected to be independently changed; and (iii) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected individual color With the hue or the saturation selected to be independently changed in the real time digital video input image, Whereby the hue or the			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	saturation of said selected individual color in the real time digital video input image has been changed Without affecting the hue or the saturation of any other individual color in the real time digital video input image. '435 Patent, Claims 17			
5	**"Characterizing"** 1. A method for independently controlling hue or saturation of individual colors in a real time digital video image, comprising the steps of: (a) receiving and **characterizing** the real time digital video input image featuring input image pixels; (b) selecting to independently change the hue or the saturation of an individual color in the real time digital video input image, by selecting an independent color hue control delta value or an independent color saturation	Not indefinite. Plain and ordinary meaning. Or, in the alternative: Specifying.	This term is indefinite under 35 U.S.C. § 112(2).	

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	control delta value, respectively, wherein said independent color hue control delta value represents an extent of change in the hue of said selected individual color and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected individual color; (c) identifying a plurality of said input image pixels having said selected individual color in the real time digital video input image with the hue or the saturation selected to be independently changed, by performing arithmetic and logical operations using input image pixel values of each said input image pixel of the real time digital video input image; (d) determining corresponding output image pixel values for each of said plurality of said input image pixels identified as having said selected individual color in the real time digital video input image With the hue or the saturation selected to be			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	independently changed, by separately evaluating independent color hue control functions or independent color saturation control functions, respectively, using said input image pixel values of said plurality of said input image pixels, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for forming a corresponding plurality of output image pixels having said selected individual color With the hue or the saturation selected to be independently changed; and (e) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected individual color with the hue or the saturation selected to be independently changed in the real time digital video input image, whereby the hue or the saturation of said selected individual color in the real time			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	digital video input image has been changed without affecting the hue or the saturation of any other individual color in the real time digital video input image. '435 Patent, Claim 1			
6	**"Without affecting the hue or the saturation of any other individual color"** 1. A method for independently controlling hue or saturation of individual colors in a real time digital video image, comprising the steps of: (a) receiving and characterizing the real time digital video input image featuring input image pixels; (b) selecting to independently change the hue or the saturation of an individual color in the real time digital video input image, by selecting an independent color hue control delta value or an independent color saturation control delta value, respectively, wherein said independent color hue control delta value represents	Without affecting the hue or the saturation of any other individual color, that was not selected to be changed	Ordinary meaning. (incorporating the construction of "individual color," that is "without affecting the hue or the saturation of any other linear combination of colors or color components.").	

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	an extent of change in the hue of said selected individual color and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected individual color; (c) identifying a plurality of said input image pixels having said selected individual color in the real time digital video input image with the hue or the saturation selected to be independently changed, by performing arithmetic and logical operations using input image pixel values of each said input image pixel of the real time digital video input image; (d) determining corresponding output image pixel values for each of said plurality of said input image pixels identified as having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by separately evaluating independent color hue control functions or			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	independent color saturation control functions, respectively, using said input image pixel values of said plurality of said input image pixels, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for forming a corresponding plurality of output image pixels having said selected individual color With the hue or the saturation selected to be independently changed; and (e) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected individual color with the hue or the saturation selected to be independently changed in the real time digital video input image, whereby the hue or the saturation of said selected individual color in the real time digital video input image has been changed **without affecting the hue or the saturation of any**			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	other individual color in the real time digital video input image. 17. A system for independently controlling hue or saturation of individual colors in a real time digital video image, comprising: (a) a real time digital video image display device displaying the real time digital video image featuring input image pixels; (b) a master control device in operative electronic communication with and controlling said real time digital video image display device; and (c) a viewer of said real time digital video image display device operating said master control device for selecting to independently change the hue or the saturation of an individual color in the real time digital video input image, by selecting an independent color hue control delta value or an independent color saturation control delta value featured on said master control device, respectively, wherein said independent color			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	hue control delta value represents an extent of change in the hue of said selected individual color and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected individual color, whereby said real time digital video image display device in said operative electronic communication with said master control device per forms steps including: (i) identifying a plurality of said input image pixels having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by performing arithmetic and logical operations using input image pixel values of each said input image pixel of the real time digital video input image; (ii) determining corresponding output image pixel values for each of said plurality of said input image pixels identified as having said selected individual color in			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	the real time digital video input image With the hue or the saturation selected to be independently changed, by separately evaluating independent color hue control functions or independent color saturation control functions, respectively, using said input image pixel values of said plurality of said input image pixels, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for forming a corresponding plurality of output image pixels having said selected individual color With the hue or the saturation selected to be independently changed; and (iii) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected individual color with the hue or the saturation selected to be independently changed in the real time digital video input			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	image, whereby the hue or the saturation of said selected individual color in the real time digital video input image has been changed **without affecting the hue or the saturation of any other individual color** in the real time digital video input image. '435 Patent, Claims 1 & 17			
7	**"Evaluated"** and **"Evaluating"** 1. A method for independently controlling hue or saturation of individual colors in a real time digital video image, comprising the steps of: (a) receiving and characterizing the real time digital video input image featuring input image pixels; (b) selecting to independently change the hue or the saturation of an individual color in the real time digital video input image, by selecting an independent color hue control delta value or an independent color saturation control delta value, respectively,	Not indefinite. Plain and ordinary meaning.	This term is indefinite under 35 U.S.C. § 112(2).	

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	wherein said independent color hue control delta value represents an extent of change in the hue of said selected individual color and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected individual color; (c) identifying a plurality of said input image pixels having said selected individual color in the real time digital video input image with the hue or the saturation selected to be independently changed, by performing arithmetic and logical operations using input image pixel values of each said input image pixel of the real time digital video input image; (d) determining corresponding output image pixel values for each of said plurality of said input image pixels identified as having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	separately **evaluating** independent color hue control functions or independent color saturation control functions, respectively, using said input image pixel values of said plurality of said input image pixels, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for forming a corresponding plurality of output image pixels having said selected individual color With the hue or the saturation selected to be independently changed; and (e) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected individual color with the hue or the saturation selected to be independently changed in the real time digital video input image, whereby the hue or the saturation of said selected individual color in the real time digital video input image has			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	been changed without affecting the hue or the saturation of any other individual color in the real time digital video input image. 3. The method of claim 1, whereby the real time digital video input image features basic colors red, green, and blue, and, complementary colors yellow, cyan, and magenta, in RGB color space, whereby values of said complementary colors are expressed in terms of and **evaluated** from linear combinations of values of said basic colors. 4. The method of claim 1, whereby the real time digital video input image features basic colors yellow, cyan, and magenta, and, complementary colors red, green, and blue, in YCM color space, whereby values of said complementary colors are expressed in terms of and **evaluated** from linear combinations of values of said basic colors.			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	17. A system for independently controlling hue or saturation of individual colors in a real time digital video image, comprising: (a) a real time digital video image display device displaying the real time digital video image featuring input image pixels; (b) a master control device in operative electronic communication with and controlling said real time digital video image display device; and (c) a viewer of said real time digital video image display device operating said master control device for selecting to independently change the hue or the saturation of an individual color in the real time digital video input image, by selecting an independent color hue control delta value or an independent color saturation control delta value featured on said master control device, respectively, wherein said independent color hue control delta value represents an extent of change in the hue of			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	said selected individual color and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected individual color, whereby said real time digital video image display device in said operative electronic communication with said master control device per forms steps including: (i) identifying a plurality of said input image pixels having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by performing arithmetic and logical operations using input image pixel values of each said input image pixel of the real time digital video input image; (ii) determining corresponding output image pixel values for each of said plurality of said input image pixels identified as having said selected individual color in the real time digital video input image With the hue or the			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	saturation selected to be independently changed, by separately **evaluating** independent color hue control functions or independent color saturation control functions, respectively, using said input image pixel values of said plurality of said input image pixels, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for forming a corresponding plurality of output image pixels having said selected individual color With the hue or the saturation selected to be independently changed; and (iii) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected individual color With the hue or the saturation selected to be independently changed in the real time digital video input image, Whereby the hue or the saturation of said selected			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	individual color in the real time digital video input image has been changed Without affecting the hue or the saturation of any other individual color in the real time digital video input image. 19. The system of claim 17, whereby the real time digital video input image features basic colors red, green, and blue, and, complementary colors yellow, cyan, and magenta, in RGB color space, whereby values of said complementary colors are expressed in terms of and **evaluated** from linear combinations of values of said basic colors. 20. The system of claim 17, whereby the real time digital video input image features basic colors yellow, cyan, and magenta, and, complementary colors red, green, and blue, in YCM color space, whereby values of said complementary colors are expressed in terms of and **evaluated** from linear			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	combinations of values of said basic colors. '435 Patent, Claims 1, 3, 4, 17, 19, and 20			
8	"**By performing arithmetic and logical operations"** 1. A method for independently controlling hue or saturation of individual colors in a real time digital video image, comprising the steps of: (a) receiving and characterizing the real time digital video input image featuring input image pixels; (b) selecting to independently change the hue or the saturation of an individual color in the real time digital video input image, by selecting an independent color hue control delta value or an independent color saturation control delta value, respectively, wherein said independent color hue control delta value represents an extent of change in the hue of said selected individual color and	Not indefinite. Plain and ordinary meaning.	Indefinite as to whether this clause modifies "identifying," "changed," or both terms.	

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected individual color; (c) identifying a plurality of said input image pixels having said selected individual color in the real time digital video input image with the hue or the saturation selected to be independently changed, **by performing arithmetic and logical operations** using input image pixel values of each said input image pixel of the real time digital video input image; (d) determining corresponding output image pixel values for each of said plurality of said input image pixels identified as having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by separately evaluating independent color hue control functions or independent color saturation control functions, respectively,			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	using said input image pixel values of said plurality of said input image pixels, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for forming a corresponding plurality of output image pixels having said selected individual color With the hue or the saturation selected to be independently changed; and (e) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected individual color with the hue or the saturation selected to be independently changed in the real time digital video input image, whereby the hue or the saturation of said selected individual color in the real time digital video input image has been changed without affecting the hue or the saturation of any other individual color in the real time digital video input image.			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	17. A system for independently controlling hue or saturation of individual colors in a real time digital video image, comprising: (a) a real time digital video image display device displaying the real time digital video image featuring input image pixels; (b) a master control device in operative electronic communication with and controlling said real time digital video image display device; and (c) a viewer of said real time digital video image display device operating said master control device for selecting to independently change the hue or the saturation of an individual color in the real time digital video input image, by selecting an independent color hue control delta value or an independent color saturation control delta value featured on said master control device, respectively, wherein said independent color hue control delta value represents an extent of change in the hue of			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	said selected individual color and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected individual color, whereby said real time digital video image display device in said operative electronic communication with said master control device per forms steps including: (i) identifying a plurality of said input image pixels having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, **by performing arithmetic and logical operations** using input image pixel values of each said input image pixel of the real time digital video input image; (ii) determining corresponding output image pixel values for each of said plurality of said input image pixels identified as having said selected individual color in the real time digital video input image With the hue or the			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	saturation selected to be independently changed, by separately evaluating independent color hue control functions or independent color saturation control functions, respectively, using said input image pixel values of said plurality of said input image pixels, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for forming a corresponding plurality of output image pixels having said selected individual color With the hue or the saturation selected to be independently changed; and (iii) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected individual color With the hue or the saturation selected to be independently changed in the real time digital video input image, Whereby the hue or the saturation of said selected			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	individual color in the real time digital video input image has been changed Without affecting the hue or the saturation of any other individual color in the real time digital video input image. '435 Patent, Claims 1 & 17			
9	**"Forming a corresponding plurality of output image pixels having said selected individual color"** 1. A method for independently controlling hue or saturation of individual colors in a real time digital video image, comprising the steps of: (a) receiving and characterizing the real time digital video input image featuring input image pixels; (b) selecting to independently change the hue or the saturation of an individual color in the real time digital video input image, by selecting an independent color hue control delta value or an independent color saturation control delta value, respectively,	No construction necessary.	Forming a plurality of output image pixels that each correspond to one of the plurality of input image pixels that have said selected individual color in the real time digital video input image with the hue or the saturation selected to be independently changed, the output image pixels having said selected individual color.	

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	wherein said independent color hue control delta value represents an extent of change in the hue of said selected individual color and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected individual color; (c) identifying a plurality of said input image pixels having said selected individual color in the real time digital video input image with the hue or the saturation selected to be independently changed, by performing arithmetic and logical operations using input image pixel values of each said input image pixel of the real time digital video input image; (d) determining corresponding output image pixel values for each of said plurality of said input image pixels identified as having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	separately evaluating independent color hue control functions or independent color saturation control functions, respectively, using said input image pixel values of said plurality of said input image pixels, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for **forming a corresponding plurality of output image pixels having said selected individual color** With the hue or the saturation selected to be independently changed; and (e) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected individual color with the hue or the saturation selected to be independently changed in the real time digital video input image, whereby the hue or the saturation of said selected individual color in the real time digital video input image has			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	been changed without affecting the hue or the saturation of any other individual color in the real time digital video input image. 17. A system for independently controlling hue or saturation of individual colors in a real time digital video image, comprising: (a) a real time digital video image display device displaying the real time digital video image featuring input image pixels; (b) a master control device in operative electronic communication with and controlling said real time digital video image display device; and (c) a viewer of said real time digital video image display device operating said master control device for selecting to independently change the hue or the saturation of an individual color in the real time digital video input image, by selecting an independent color hue control delta value or an independent color saturation control delta value featured on said master			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	control device, respectively, wherein said independent color hue control delta value represents an extent of change in the hue of said selected individual color and wherein said independent color saturation control delta value represents an extent of change in the saturation of said selected individual color, whereby said real time digital video image display device in said operative electronic communication with said master control device per forms steps including: (i) identifying a plurality of said input image pixels having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by performing arithmetic and logical operations using input image pixel values of each said input image pixel of the real time digital video input image; (ii) determining corresponding output image pixel values for each of said plurality of said input			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	image pixels identified as having said selected individual color in the real time digital video input image With the hue or the saturation selected to be independently changed, by separately evaluating independent color hue control functions or independent color saturation control functions, respectively, using said input image pixel values of said plurality of said input image pixels, and using corresponding said selected independent color hue control delta value or said corresponding selected independent color saturation control delta value, for **forming a corresponding plurality of output image pixels having said selected individual color** With the hue or the saturation selected to be independently changed; and (iii) displaying a real time digital video output image including said corresponding plurality of said output image pixels having said selected individual color With the hue or the saturation selected to			

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	be independently changed in the real time digital video input image, Whereby the hue or the saturation of said selected individual color in the real time digital video input image has been changed Without affecting the hue or the saturation of any other individual color in the real time digital video input image. '435 Patent, Claims 1 & 17			
10	**"Arbitrary interval of integers"** 5. The method of claim 1, whereby in step (b), numerical range of said independent color hue control delta value and numerical range of said independent color saturation control delta value corresponds to an **arbitrary interval of integers.** 21. The system of claim 17, whereby numerical range of said independent color hue control delta value and numerical range of said independent color saturation control delta value	A range between two whole numbers	Plain and ordinary meaning.	

Ref.	Claim Terms [1]	Plaintiff's Proposed Construction	Defendants' Proposed Construction	Court's Construction
	corresponds to an **arbitrary interval of integers**. '435 Patent, Claims 5 & 21			